

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name or designation of the mixture	Husqvarna 4-Stroke Oil SAE 30
Registration number	-
Synonyms	None.
Product code	577 41 92-01 (0.6L), 577 41 97-01 (1.4L)
Issue date	01-March-2018
Version number	01
Revision date	-
Supersedes date	-

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Lubrication of 4-stroke engine.
Uses advised against	Use in accordance with supplier's recommendations.

### 1.3. Details of the supplier of the safety data sheet

Company name	Husqvarna AB Drottninggatan 2 561 82 Huskvarna, Sweden
Telephone	+46 (0)36-14 65 00
Contact person	Accessory Department
E-mail	sds.info@husqvarnagroup.com
1.4. Emergency telephone number	+1-760-476-3961 (Access code 333721)

**General in EU** 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

**Hazard summary** Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.

#### Precautionary statements

Prevention	Not assigned.
Response	Not assigned.
Storage	Not assigned.
Disposal	Not assigned.

**Supplemental label information** EUH208 - Contains Benzenesulphonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

**2.3. Other hazards** Not a PBT or vPvB substance or mixture.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

## General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy paraffinic	90 - 95	64742-54-7 265-157-1	01-2119484627-25	649-467-00-8	
<b>Classification:</b>	-				L
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	0.1 - < 0.8	84605-29-8 283-392-8	01-2119493626-26	-	
<b>Classification:</b>	Skin Irrit. 2;H315, Eye Dam. 1;H318, Aquatic Chronic 2;H411				
Benzenesulphonic acid, mono-C16-24-alkyl derivs., calcium salts	0.1 - 0.5	70024-69-0 274-263-7	01-2119492616-28	-	
<b>Classification:</b>	Skin Sens. 1B;H317				

## List of abbreviations and symbols that may be used above

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** IP346 method DMSO extract for base oil substances: <3.0%. The full text for all H-statements is displayed in section 16.

## SECTION 4: First aid measures

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.  
**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.  
**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.  
**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

**4.2. Most important symptoms and effects, both acute and delayed** Exposure may cause temporary irritation, redness, or discomfort.

**4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

## SECTION 5: Firefighting measures

**General fire hazards** No unusual fire or explosion hazards noted.

### 5.1. Extinguishing media

**Suitable extinguishing media** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).  
**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture** During fire, gases hazardous to health may be formed.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.  
**Special fire fighting procedures** Move containers from fire area if you can do so without risk.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Keep unnecessary personnel away.  
**For emergency responders** Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

**6.2. Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

### 6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid prolonged exposure. Observe good industrial hygiene practices.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

### 7.3. Specific end use(s)

Lubrication of 4-stroke engine.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Occupational exposure limits** No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

### Derived no effect levels (DNELs)

#### General Population

Components	Value	Assessment factor	Notes
Benzenesulphonic acid, mono-C16-24-alkyl derivs., calcium salts (CAS 70024-69-0)			
Long-term, Local, Dermal	0.513 mg/cm <sup>2</sup>		
Long-term, Systemic, Dermal	1.667 mg/kg bw/day		
Long-term, Systemic, Inhalation	2.9 mg/m <sup>3</sup>		
Long-term, Systemic, Oral	0.833 mg/kg bw/day		
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)			
Long-term, Systemic, Oral	0.74 mg/kg bw/day		
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (CAS 84605-29-8)			
Long-term, Systemic, Dermal	6.1 mg/kg bw/day	240	Repeated dose toxicity
Long-term, Systemic, Inhalation	2.11 mg/m <sup>3</sup>	60	Repeated dose toxicity
Long-term, Systemic, Oral	0.24 mg/kg bw/day	600	Repeated dose toxicity

#### Workers

Components	Value	Assessment factor	Notes
Benzenesulphonic acid, mono-C16-24-alkyl derivs., calcium salts (CAS 70024-69-0)			
Long-term, Local, Dermal	1.03 mg/cm <sup>2</sup>		
Long-term, Systemic, Dermal	3.33 mg/kg bw/day		
Long-term, Systemic, Inhalation	11.75 mg/m <sup>3</sup>		
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)			
Long-term, Local, Inhalation	5.6 mg/m <sup>3</sup>		
Long-term, Systemic, Dermal	1 mg/kg bw/day		
Long-term, Systemic, Inhalation	2.7 mg/m <sup>3</sup>		
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (CAS 84605-29-8)			
Long-term, Systemic, Dermal	12.1 mg/kg bw/day	120	Repeated dose toxicity
Long-term, Systemic, Inhalation	8.31 mg/m <sup>3</sup>	30	Repeated dose toxicity

### Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor	Notes
Benzenesulphonic acid, mono-C16-24-alkyl derivs., calcium salts (CAS 70024-69-0)			
Freshwater	1 mg/l		
Marine water	1 mg/l		
Secondary poisoning	16667 mg/kg		
Sediment (freshwater)	226000 g/kg		
Sediment (marine water)	226000 g/kg		
Soil	271000 g/kg		

STP 1000 mg/l

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

Secondary poisoning 9.33 mg/kg

## 8.2. Exposure controls

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

## Individual protection measures, such as personal protective equipment

**General information** Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

### Skin protection

- **Hand protection** Wear appropriate chemical resistant gloves.

- **Other** Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**Environmental exposure controls** Environmental manager must be informed of all major releases.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state** Liquid.

**Form** Oily liquid.

**Colour** Light brown.

**Odour** Not available.

**Odour threshold** Not available.

**pH** Not available.

**Melting point/freezing point** Not available.

**Initial boiling point and boiling range** Not available.

**Flash point** 202.0 °C (395.6 °F) Cleveland open cup

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not applicable.

#### Upper/lower flammability or explosive limits

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Vapour pressure** Not available.

**Vapour density** Not available.

**Relative density** 0.891 (15 °C)

**Solubility(ies)** Insoluble in water.

**Partition coefficient (n-octanol/water)** Not available.

**Auto-ignition temperature** Not available.

**Decomposition temperature** Not available.

**Viscosity** Not available.

**Explosive properties** Not explosive.

**Oxidising properties** Not oxidising.

### 9.2. Other information

**Density** 891.00 kg/m<sup>3</sup> (15 °C)

**Kinematic viscosity** 11.3 mm<sup>2</sup>/s (100 °C (212 °F))

Pour point 100 mm<sup>2</sup>/s (40 °C (104 °F))  
-30 °C (-22 °F)

## SECTION 10: Stability and reactivity

- 10.1. Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.
- 10.2. Chemical stability** Material is stable under normal conditions.
- 10.3. Possibility of hazardous reactions** No dangerous reaction known under conditions of normal use.
- 10.4. Conditions to avoid** Contact with incompatible materials.
- 10.5. Incompatible materials** Strong oxidising agents.
- 10.6. Hazardous decomposition products** No hazardous decomposition products are known.

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

- Inhalation** Prolonged inhalation may be harmful.
- Skin contact** Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. May cause an allergic skin reaction.
- Eye contact** Direct contact with eyes may cause temporary irritation.
- Ingestion** May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

### 11.1. Information on toxicological effects

#### Acute toxicity

Components	Species	Test Results
Benzenesulphonic acid, mono-C16-24-alkyl derivs., calcium salts (CAS 70024-69-0)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 4000 mg/kg, 24 Hours
<b>Inhalation</b>		
<i>Aerosol</i>		
LC50	Rat	> 1.9 mg/l, 4 Hours
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 5000 mg/kg, 24 Hours
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (CAS 84605-29-8)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rat	> 2002 mg/kg, 25 Hours
<b>Oral</b>		
LD50	Rat	3100 mg/kg
<b>Skin corrosion/irritation</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Serious eye damage/eye irritation</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Respiratory sensitisation</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Skin sensitisation</b>	Based on available data, the classification criteria are not met. The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals.	
<b>Germ cell mutagenicity</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Carcinogenicity</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Reproductive toxicity</b>	Due to partial or complete lack of data the classification is not possible.	

<b>Specific target organ toxicity - single exposure</b>	Due to partial or complete lack of data the classification is not possible.
<b>Specific target organ toxicity - repeated exposure</b>	Due to partial or complete lack of data the classification is not possible.
<b>Aspiration hazard</b>	Due to partial or complete lack of data the classification is not possible.
<b>Mixture versus substance information</b>	No information available.
<b>Other information</b>	Prolonged and repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.

## SECTION 12: Ecological information

**12.1. Toxicity** Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

Components	Species		Test Results
Benzenesulphonic acid, mono-C16-24-alkyl derivs., calcium salts (CAS 70024-69-0)			
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	> 1000 mg/l, 48 hours
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)			
<b>Aquatic</b>			
Algae	NOEC	Pseudokirchnerella subcapitata	> 100 mg/l, 72 hours
Crustacea	EL50	Daphnia magna	> 10000 mg/l, 48 hours
Fish	LL50	Fathead minnow ( <i>Pimephales promelas</i> )	> 100 mg/l, 96 hours
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (CAS 84605-29-8)			
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EL50	Daphnia magna	23 mg/l, 48 hours
	NOELR	Daphnia magna	10 mg/l, 48 hours
Fish	LL50	Oncorhynchus mykiss	4.5 mg/l, 96 hours
	NOEL	Oncorhynchus mykiss	1.8 mg/l, 96 hours

**12.2. Persistence and degradability** The product is expected to be biodegradable.

**12.3. Bioaccumulative potential** No data available.

**Partition coefficient n-octanol/water (log Kow)** Not available.

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** No data available.

**12.5. Results of PBT and vPvB assessment** Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** Oil spills are generally hazardous to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EU waste code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Disposal methods/information</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
<b>Special precautions</b>	Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

14.1. - 14.6.: Not regulated as dangerous goods.

**RID**

14.1. - 14.6.: Not regulated as dangerous goods.

**ADN**

14.1. - 14.6.: Not regulated as dangerous goods.

**IATA**

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG**

14.1. - 14.6.: Not regulated as dangerous goods.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations**

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**  
Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**  
Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**  
Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**  
Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**  
Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**  
Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**  
Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**  
Not listed.

**Authorisations**

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended**  
Not listed.

**Restrictions on use**

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**  
Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**  
Not listed.

**Other EU regulations**

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**  
Not listed.

**Other regulations**

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

**National regulations**

Follow national regulation for work with chemical agents.

**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information****List of abbreviations**

EC50: Effective Concentration 50%.  
LC50: Lethal Concentration 50%.  
PBT: Persistent, bioaccumulative, toxic.  
vPvB: very Persistent, very Bioaccumulative.

**References**

ECHA CHEM

**Information on evaluation method leading to the classification of mixture**

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

**Full text of any H-statements not written out in full under Sections 2 to 15**

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H411 Toxic to aquatic life with long lasting effects.

**Training information**

Follow training instructions when handling this material.

**Disclaimer**

Husqvarna AB cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.